BRAIN RESEARCH

VOL. 791 NOS. 1,2 **CONTENTS** **27 APRIL 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Water-deprived white-footed mice express c-*fos* on a day/night cycle graded according to the duration of deprivation
H.E. Chae and P.D. Heideman (USA) 1

Distribution of advanced glycation end products in the cerebellar neurons of dogs
K. Weber, W. Schmahl and G. Münch (Germany) 11

Effects of the self-administration of ethanol and ethanol/sucrose on rates of local cerebral glucose utilization in rats
L.J. Porrino, C.T. Whitlow and H.H. Samson (USA) 18

The expression of Fos within the suprachiasmatic nucleus of the diurnal rodent *Arvicanthis niloticus*
C. Katona, S. Rose and L. Smale (USA) 27

Immunocytochemical analysis of sex differences in calcitonin gene-related peptide in the rat dorsal root ganglion, with special reference to estrogen and its receptor
Y. Yang, H. Ozawa, H. Lu, K. Yuri, S. Hayashi, K. Nihonyanagi and M. Kawata (Japan) 35

Differential roles of two types of voltage-gated Ca^{2+} channels in the dendrites of rat cerebellar Purkinje neurons
S. Watanabe, H. Takagi, T. Miyasho, M. Inoue, Y. Kirino, Y. Kudo and H. Miyakawa (Japan) 43

Glucocorticoids stimulate TRH and c-*fos*/c-*jun* gene co-expression in cultured hypothalamic neurons
L.-G. Luo and I.M.D. Jackson (USA) 56

Cerebrovascular muscle atrophy is a feature of Alzheimer's disease
G. Perry, M.A. Smith, C.E. McCann, S. L. Siedlak, P.K. Jones and R.P. Friedland (USA) 63

The 5-HT_{1A} and 5-$HT_{2A/2C}$ receptor antagonists WAY-100635 and ritanserin do not attenuate D-fenfluramine-induced Fos expression in the brain
A. Javed, L.D. Van de Kar and T.S. Gray (USA) 67

Role of cerebral blood flow in seizures from hyperbaric oxygen exposure
M. Chavko, J.C. Braisted, N.J. Outsa and A.L. Harabin (USA) 75

The role of *mu* and *kappa* opioid receptors within the periaqueductal gray in the expression of conditional hypoalgesia
P.S.F. Bellgowan and F.J. Helmstetter (USA) 83

Spontaneous and artificial lesions of magnocellular reticular formation of brainstem deteriorate avoidance learning in senescence-accelerated mouse SAM
H. Yagi, I. Akiguchi, A. Ohta, N. Yagi, M. Hosokawa and T. Takeda (Japan) 90

Non-opioid dynorphin binding site on secretory vesicles of a pituitary-derived cell line
K.N. Yarygin, X.-H. Zhang and N.M. Lee (USA) 99

The effects of neurosteroids on acquisition and retention of a modified passive-avoidance learning task in mice
D.S. Reddy and S.K. Kulkarni (India) 108

Pattern of synaptophysin immunoreactivity within mesencephalic grafts following transplantation in a parkinsonian primate model
C.E. Sortwell, B.C. Blanchard, T.J. Collier, J.D. Elsworth, J.R. Taylor, R.H. Roth, D.E. Redmond Jr. and J.R. Sladek Jr. (USA) 117

Expression of Fos protein in the limbic regions of the rat following haloperidol decanoate
Y.-J. Sun, M. Suzuki, T. Kurachi, M. Murata and M. Kurachi (Japan) 125

Partial purification of a pramipexole-induced trophic activity directed at dopamine neurons in ventral mesencephalic cultures
Z.D. Ling, C.W. Tong and P.M. Carvey (USA) 137

Effect of nitric oxide synthase inhibitor on a hyperglycemic rat model of reversible focal ischemia: detection of excitatory amino acids release and hydroxyl radical formation
J. Wei and M.J. Quast (USA) 146

Fos expression in the brain induced by peripheral injection of CCK or leptin plus CCK in fasted lean mice
L. Wang, V. Martínez, M.D. Barrachina and Y. Taché (USA) 157

Ago-antagonist muscle spindle inputs contribute together to joint movement coding in man
E. Ribot-Ciscar and J.-P. Roll (France) 167

(contents continued on p. 360)

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0006-8993(19980427)791:1-2;1-5

BRAIN RESEARCH

VOL. 791 NOS. 1,2 **CONTENTS** **27 APRIL 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Water-deprived white-footed mice express c-*fos* on a day/night cycle graded according to the duration of deprivation
H.E. Chae and P.D. Heideman (USA) 1

Distribution of advanced glycation end products in the cerebellar neurons of dogs
K. Weber, W. Schmahl and G. Münch (Germany) 11

Effects of the self-administration of ethanol and ethanol/sucrose on rates of local cerebral glucose utilization in rats
L.J. Porrino, C.T. Whitlow and H.H. Samson (USA) 18

The expression of Fos within the suprachiasmatic nucleus of the diurnal rodent *Arvicanthis niloticus*
C. Katona, S. Rose and L. Smale (USA) 27

Immunocytochemical analysis of sex differences in calcitonin gene-related peptide in the rat dorsal root ganglion, with special reference to estrogen and its receptor
Y. Yang, H. Ozawa, H. Lu, K. Yuri, S. Hayashi, K. Nihonyanagi and M. Kawata (Japan) 35

Differential roles of two types of voltage-gated Ca^{2+} channels in the dendrites of rat cerebellar Purkinje neurons
S. Watanabe, H. Takagi, T. Miyasho, M. Inoue, Y. Kirino, Y. Kudo and H. Miyakawa (Japan) 43

Glucocorticoids stimulate TRH and c-*fos*/c-*jun* gene co-expression in cultured hypothalamic neurons
L.-G. Luo and I.M.D. Jackson (USA) 56

Cerebrovascular muscle atrophy is a feature of Alzheimer's disease
G. Perry, M.A. Smith, C.E. McCann, S. L. Siedlak, P.K. Jones and R.P. Friedland (USA) 63

The 5-HT_{1A} and 5-$HT_{2A/2C}$ receptor antagonists WAY-100635 and ritanserin do not attenuate D-fenfluramine-induced Fos expression in the brain
A. Javed, L.D. Van de Kar and T.S. Gray (USA) 67

Role of cerebral blood flow in seizures from hyperbaric oxygen exposure
M. Chavko, J.C. Braisted, N.J. Outsa and A.L. Harabin (USA) 75

The role of *mu* and *kappa* opioid receptors within the periaqueductal gray in the expression of conditional hypoalgesia
P.S.F. Bellgowan and F.J. Helmstetter (USA) 83

Spontaneous and artificial lesions of magnocellular reticular formation of brainstem deteriorate avoidance learning in senescence-accelerated mouse SAM
H. Yagi, I. Akiguchi, A. Ohta, N. Yagi, M. Hosokawa and T. Takeda (Japan) 90

Non-opioid dynorphin binding site on secretory vesicles of a pituitary-derived cell line
K.N. Yarygin, X.-H. Zhang and N.M. Lee (USA) 99

The effects of neurosteroids on acquisition and retention of a modified passive-avoidance learning task in mice
D.S. Reddy and S.K. Kulkarni (India) 108

Pattern of synaptophysin immunoreactivity within mesencephalic grafts following transplantation in a parkinsonian primate model
C.E. Sortwell, B.C. Blanchard, T.J. Collier, J.D. Elsworth, J.R. Taylor, R.H. Roth, D.E. Redmond Jr. and J.R. Sladek Jr. (USA) 117

Expression of Fos protein in the limbic regions of the rat following haloperidol decanoate
Y.-J. Sun, M. Suzuki, T. Kurachi, M. Murata and M. Kurachi (Japan) 125

Partial purification of a pramipexole-induced trophic activity directed at dopamine neurons in ventral mesencephalic cultures
Z.D. Ling, C.W. Tong and P.M. Carvey (USA) 137

Effect of nitric oxide synthase inhibitor on a hyperglycemic rat model of reversible focal ischemia: detection of excitatory amino acids release and hydroxyl radical formation
J. Wei and M.J. Quast (USA) 146

Fos expression in the brain induced by peripheral injection of CCK or leptin plus CCK in fasted lean mice
L. Wang, V. Martínez, M.D. Barrachina and Y. Taché (USA) 157

Ago-antagonist muscle spindle inputs contribute together to joint movement coding in man
E. Ribot-Ciscar and J.-P. Roll (France) 167

(contents continued on p. 360)

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0006-8993(19980427)791:1-2;1-5

(contents continued)

Age-dependent changes in adenosine receptors are not modified by life-long intermittent alcohol administration
B.B. Fredholm, B. Johansson, K. Lindström and G. Wahlström (Sweden) 177
Alterations with aging and ischemia in nicotinic acetylcholine receptor subunits α_4 and β_2 messenger RNA expression in postmortem human putamen. Implications for susceptibility to parkinsonism
H. Tohgi, K. Utsugisawa, M. Yoshimura, Y. Nagane and M. Mihara (Japan) 186
Effect of metabotropic glutamate receptor activation on receptor-mediated cyclic AMP responses in primary cultures of rat striatal neurones
J. Cartmell, F. Goepfert, F. Knoflach, J.R. Pink, Z. Bleuel, J.G. Richards, H. Schaffhauser, J.A. Kemp, J. Wichmann and V. Mutel (Switzerland) 191
Serial processing of the somesthetic information revealed by different effects of stimulus rate on the somatosensory-evoked potentials and magnetic fields
T. Nagamine, J. Mäkelä, T. Mima, N. Mikuni, N. Nishitani, T. Satoh, A. Ikeda and H. Shibasaki (Japan, Finland) 200
Glucocorticoids may alter antioxidant enzyme capacity in the brain: baseline studies
L.J. McIntosh, K.E. Hong and R.M. Sapolsky (USA) 209
Glucocorticoids may alter antioxidant enzyme capacity in the brain: kainic acid studies
L.J. McIntosh, K.M. Cortopassi and R.M. Sapolsky (USA) 215
Rat middle cerebral artery occlusion by an intraluminal thread compromises collateral blood flow
R.C.G. Herz, C.M. Kasbergen, B. Hillen, D.H.G. Versteeg and D.J. De Wildt (Netherlands) 223
Evidence that 5-HT_3 receptors in the nucleus tractus solitarius and other brainstem areas modulate the vagal bradycardia evoked by activation of the von Bezold–Jarisch reflex in the anesthetized rat
J.G.P. Pires, S.R. Silva, A.G. Ramage and H. De A. Futuro-Neto (Brazil, UK) 229
Regeneration of ascending spinal axons in goldfish
G.F.B. Hanna, N.N. Nawar and S.C. Sharma (USA, Egypt) 235
Age-related decline in striatal dopamine release and motoric function in Brown Norway/Fischer 344 hybrid rats
D.M. Yurek, S.B. Hipkens, M.A. Hebert, D.M. Gash and G.A. Gerhardt (USA) 246
Antagonism between the suppressive effects of NH_3 and CO_2 on bullfrog taste nerve responses to quinine
K. Yoshii and T. Hashimoto (Japan) 257
Neuropeptide immunoreactivity in ligature-induced neuromas of the inferior alveolar nerve in the ferret
A. Long, U. Bongenhielm, F.M. Boissonade, K. Fried and P.P. Robinson (UK, Sweden) 263
Synaptic and glial localization of the integrin $\alpha v\beta 8$ in mouse and rat brain
S.L. Nishimura, K.P. Boylen, S. Einheber, T.A. Milner, D.M. Ramos and R. Pytela (USA) 271

Short communications

Labeling of calcitonin gene-related peptide and substance P increases in subnucleus caudalis of rabbit during maxillary sinusitis
A.K. Roche, I.G. Koutlas and K.C. Kajander (USA) 283
Modulatory action of $PACAP_{27}$ on NMDA receptor channel activity in cultured chick cortical neurons
G.J. Liu and B.W. Madsen (Australia) 290
Corticosterone attenuates zinc-induced neurotoxicity in primary hippocampal cultures
Sunanda, B.S.S. Rao and T.R. Raju (India) 295
The effects of aging on mu and delta opioid receptors in the spinal cord of Fischer-344 rats
D.L. Hoskins, T.L. Gordon and T. Crisp (USA) 299
Hypothermia during or after severe perinatal asphyxia prevents increase in cyclic GMP-related nitric oxide levels in the newborn rat striatum
C.F. Loidl, J. De Vente, M. Markerink van Ittersum, E.H.J. Van Dijk, J.S.H. Vles, H.W.M. Steinbusch and C.E. Blanco (Netherlands) 303
Behavioral effects of peripheral interleukin-1 administration in adult CD-1 mice: specific inhibition of the offensive components of intermale agonistic behavior
F. Cirulli, L. De Acetis and E. Alleva (Italy) 308
Low blood–brain barrier permeability to azidothymidine (AZT), 3TC™, and thymidine in the rat
D. Wu, J.G. Clement and W.M. Pardridge (USA, Canada) 313
Neurons in the hypothalamic paraventricular nucleus that project to the rostral ventrolateral medulla are activated by haemorrhage
E. Badoer and J. Merolli (Australia) 317
Aging and the effects of MK-801 on anoxic damage in rat hippocampal slices
E.L. Roberts Jr., D. Wisotzky and C.-P. Chih (USA) 321
Development of laminar distributions of kainate receptors in the somatosensory cortex of mice
B. Jabłońska, A.L. Smith, M. Kossut and J. Skangiel-Kramska (Poland, UK) 325
Lamotrigine may limit pathological excitation in the hippocampus by modulating a transient potassium outward current
H. Grunze, R.W. Greene, H.-J. Möller, T. Meyer and J. Walden (Germany, USA) 330
Corticostriatal input zones from the supplementary motor area overlap those from the contra- rather than ipsilateral primary motor cortex
M. Takada, H. Tokuno, A. Nambu and M. Inase (Japan) 335
μ-Opioid agonist-stimulated [^{35}S]GTPγS binding in guinea pig hypothalamus: effects of estrogen
M.J. Cunningham, Y. Fang, D.E. Selley and M.J. Kelly (USA) 341
Changes in the hippocampus induced by glucose in thiamin deficient rats detected by MRI
L.R. Jordan, F.O. Zelaya, S.E. Rose, A.J. Bower, G. Galloway, T. Wholohan and P.F. Nixon (Australia) 347
Indomethacin inhibits delayed DNA fragmentation of hippocampal CA1 pyramidal neurons after transient forebrain ischemia in gerbils
F. Kondo, Y. Kondo, M. Gómez-Vargas and N. Ogawa (Japan) 352

Author Index 357